



20 YEARS

INDUSTRY EXPERIENCE

ACOOKER CATERING EQUIPMENT

QUALITY BUILDS BRAND
INTEGRITY WINS CUSTOMERS

CREATE A HIGH-END
COMMERCIAL KITCHEN EQUIPMENT



Guangzhou Acooker Kitchen Equipment Co.,Ltd

Tel:0086-20-132 6813 3001(WhatsApp&Wechat)

Add: The 5th floor,Worldmart Building,999 Fulong Road, Shawan
Town,Panyu,Guangzhou,China

Email: andy@acooker.com

Website: www.acooker.com



Product Contents

产品目录

豪华立式组合炉 Luxury combination oven	03	雪糕皮机 Cone baker	56
豪华立式燃气组合炉 Luxury gas combination oven	05	组合炉 Electric multifunction cooking station	57
豪华立式电组合炉 Luxury electric combination oven	13	热狗机 Hot dog warmer	58
台式组合炉 Counter top western kitchen equipment	21	热狗保温机 Hot dog warmer	59
不锈钢电炸炉 Electric fryer	25	电三文治机 Panini contact grill	60
带阀电炸炉 Electric fryer with valve	28	电班戟机 Electric crepe maker	61
不锈钢电炸炉 Electric fryer	29	爆谷机 Popcorn maker	61
座地式电炸炉 Electric fryer with cabinet	30	圆桶电热开水器 Electric boiler water heater	62
燃气炸炉 Gas fryer	32	蒸馏咖啡机 Distilling coffee maker	63
电扒炉 Electric griddle	34	推车款暖汤池 Food service cart	64
燃气扒炉 Gas griddle	35	暖汤池（有玻璃罩） Bain marie (with glass)	64
热风循环电焗炉 Electric convection oven	36	暖汤池（无玻璃罩） Bain marie (no glass)	65
电焗炉 Electric baking oven	37	食物保温餐车 Food warmer cart	66
电披萨炉 Electric pizza oven	38	蒸包柜 Food steamer showcaser	68
燃气披萨炉 Gas pizza oven	41	陈列电热保温柜 Food warming showcase	69
台式燃气煲仔炉 Counter top gas stove	42	弧形电热保温柜 Food steamer showcaser	70
旋转电烤炉 Electric rotisseries	44	伸缩保温吊灯 Telescopic food warming lamp	71
升降电面火炉 Electric lift-up salamander	45	保温台 Lamp food warming station	73
电煮食炉 Electric cooker	46	圆管餐车 Round-tube dining cart	74
石英烘炉 Quartzose tube oven	47	方管洒水车 Square-tube hotel servicing cart	75
美国款燃气火山石烧烤炉 Usa gas lava rock	48	面包架 Tray trolley	76
多士炉 Electric toaster	49	不锈钢挂墙层架 Wall shelf	77
煮面炉 Pasta cooker	51	不锈钢面包烤网 Baker grill	78
电华夫炉 Waffle baker	53	不锈钢炸篮 Frying basket	78

16000⁺ m²
生产厂房 Production building

100⁺ 位
企业人才 Enterprise talent

20⁺ 年

LUXURY
COMBINATION OVEN
豪华立式组合炉



国际流行款式，豪华美观
全不锈钢外壳，坚固耐用
自动恒温装置，高效节能
可调节脚座

International style, deluxe appearance
High quality stainless steel
High efficiency, energy saving and strong practicality
Adjustable legs



可以选配不锈钢门拉手、冲压门及金属旋钮，常规产品标配电木门拉手
Stainless steel door handle, stamping door and metal knob can be selected,
standard products come with bakelite door handles

LUXURY GAS

COMBINATION OVEN

豪华立式燃气组合炉

全不锈钢外壳，坚固耐用

脉冲点火系统，带熄火安全保护装置

高效燃烧器配独立开关及温控

可调节脚座

燃气炉适用于管道气、天然气、石油气

关键元件由国际著名厂家供应

All stainless steel body, strong and durable

Electronic direct spark ignition, flame failure safety device for each control

Heavy duty gas burner with individual switch and thermostat

Adjustable legs

Devices are preset to city gas, natural gas or LPG

Key-component from famous international suppliers



LGR-96C



LGR-94C

燃气煲仔炉连柜座

GAS RANGE WITH CABINET

RoHS



型号 Model	气源压力 Gas Pressure (Pa)		热功率 Power (kW)	入气接口规格 Gas inlet size	外形尺寸 Dimension (mm)
	液化气 LPG	天然气 NG			
LGR-74C	2800~3700	2000~2500	22	G3/4"	700×700×(850+70)
LGR-76C	2800~3700	2000~2500	33	G3/4"	1050×700×(850+70)
LGR-94C	2800~3700	2000~2500	22	G3/4"	800×900×(850+70)
LGR-96C	2800~3700	2000~2500	33	G3/4"	1200×900×(850+70)

燃气煲仔炉连管脚

GAS STOVE WITH STAND

RoHS



型号 Model	气源压力 Gas Pressure (Pa)		热功率 Power (kW)	入气接口规格 Gas inlet size	外形尺寸 Dimension (mm)
	液化气 LPG	天然气 NG			
LGR-74	2800~3700	2000~2500	22	G3/4"	700×700×(850+70)
LGR-76	2800~3700	2000~2500	33	G3/4"	1050×700×(850+70)
LGR-94	2800~3700	2000~2500	22	G3/4"	800×900×(850+70)
LGR-96	2800~3700	2000~2500	33	G3/4"	1200×900×(850+70)

可选配 9kW 功率燃气煲仔炉头 9kW power burner can be selected



LGR-96V



LGR-94V



LGR-74V

燃气煲仔炉连燃气焗炉

GAS RANGE WITH GAS OVEN

RoHS



型号 Model	气源压力 Gas Pressure (Pa)		热功率 Power (kW)	入气接口规格 Gas inlet size	外形尺寸 Dimension (mm)
	液化气 LPG	天然气 NG			
LGR-74V	2800~3700	2000~2500	27	G3/4"	700×700×(850+70)
LGR-76V	2800~3700	2000~2500	38	G3/4"	1050×700×(850+70)
LGR-94V	2800~3700	2000~2500	27	G3/4"	800×900×(850+70)
LGR-96V	2800~3700	2000~2500	38	G3/4"	1200×900×(850+70)

备注：焗炉温度 50~320℃可调 Note:Oven temperature50~320℃

LUXURY GAS

COMBINATION OVEN

豪华立式燃气组合炉



LGR-96EV



LGR-94EV

燃气煲仔炉连电焗炉

GAS RANGE WITH ELECTRIC OVEN



型号 Model	气源压力 Gas Pressure (Pa)		热功率 Power (kW)	入气接口规格 Gas inlet size	外形尺寸 Dimension (mm)
	液化气 LPG	天然气 NG			
LGR-74EV	2800~3700	2000~2500	22+5	G3/4"	700×700×(850+70)
LGR-76EV	2800~3700	2000~2500	33+5	G3/4"	1050×700×(850+70)
LGR-94EV	2800~3700	2000~2500	22+5	G3/4"	800×900×(850+70)
LGR-96EV	2800~3700	2000~2500	33+5	G3/4"	1200×900×(850+70)

备注：焗炉温度 50~300℃可调，220~240V 电压 Note: Oven temperature 50~300℃ , 220~240V voltage

全不锈钢外壳，坚固耐用
脉冲点火器系统，带熄火安全保护装置
高效燃烧器配独立开关及温控器
可调节脚座
燃气炉适用于管道气、天然气、石油气
关键配件由国际著名厂家供应

All stainless steel body, strong and durable
Electronic direct spark ignition, flame failure safety devuce for each control
Heavy duty gas burner with individual switch and thermostat
Adjustable legs
Devices are preset to city gas, natural gas or LPG
Key-component from famous international suppliers



LGG-9C



LGG-7C-A

立式燃气扒炉连柜座

GAS GRIDDLE WITH CABINET



型号 Model	气源压力 Gas Pressure (Pa)		热功率 Power (kW)	入气接口规格 Gas inlet size	外形尺寸 Dimension (mm)
	液化气 LPG	天然气 NG			
LGG-7C	2800~3700	2000~2500	8	G3/4"	700×700×(850+70)
LGG-9C	2800~3700	2000~2500	10	G3/4"	800×900×(850+70)
LGG-7C-A	2800~3700	2000~2500	4	G3/4"	350×700×(850+70)
LGG-9C-A	2800~3700	2000~2500	5	G3/4"	400×900×(850+70)

备注：扒板可选择全平、1/3 坑（标配）、半平半坑、全坑
Note: Griddle plate can choose all flat/1/3 grooved (standard configuration)/all grooved

LUXURY GAS
COMBINATION OVEN

豪华立式燃气组合炉



LGF-92C



LGF-91C



LGF-72C

全不锈钢外壳，坚固耐用
脉冲点火器系统，带熄火安全保护装置
高效燃烧器配独立开关及温控器
可调节脚座
燃气炉适用于管道气、天然气、石油气
关键配件由国际著名厂家供应

All stainless steel body, strong and durable
Electronic direct spark ignition, flame failure safety devuce for each control
Heavy duty gas burner with individual switch and thermostat
Adjustable legs
Devices are preset to city gas, natural gas or LPG
Key-component from famous international suppliers



LGCB-7C-A



LGCB-9C

立式燃气炸炉连柜座

GAS FRYER WITH CABINET

型号 Model	气源压力 Gas Pressure (Pa)		热功率 Power (kW)	入气接口规格 Gas inlet size	外形尺寸 Dimension (mm)
	液化气 LPG	天然气 NG			
LGF-72C	2800~3700	2000~2500	28	G3/4"	700×700×(850+70)
LGF-71C	2800~3700	2000~2500	14	G3/4"	350×700×(850+70)
LGF-92C	2800~3700	2000~2500	28	G3/4"	800×900×(850+70)
LGF-91C	2800~3700	2000~2500	14	G3/4"	400×900×(850+70)

备注：燃气温控安全阀，温度可调 120~190℃
Note: With temperature-controlled valve, the temperature can be adjusted from 120 to 190° C

立式燃气烧烤炉连柜座

GAS LAVA ROCK GRILL WITH CABINET

型号 Model	气源压力 Gas Pressure (Pa)		热功率 Power (kW)	入气接口规格 Gas inlet size	外形尺寸 Dimension (mm)
	液化气 LPG	天然气 NG			
LGCB-7C	2800~3700	2000~2500	12	G3/4"	700×700×(850+70)
LGCB-9C	2800~3700	2000~2500	14	G3/4"	800×900×(850+70)
LGCB-7C-A	2800~3700	2000~2500	6	G3/4"	350×700×(850+70)
LGCB-9C-A	2800~3700	2000~2500	7	G3/4"	400×900×(850+70)

LUXURY GAS
COMBINATION OVEN

豪华立式燃气组合炉



LGPC-912C



LGPC-906C-A



LGPC-712C

立式燃气煮面炉连柜座

GAS PASTA COOKER WITH CABINET



型号 Model	气源压力 Gas Pressure (Pa)		热功率 Power (kW)	入气接口规格 Gas inlet size	外形尺寸 Dimension (mm)	煮面筛 Basket
	液化气 LPG	天然气 NG				
LGPC-712C	2800~3700	2000~2500	22	G3/4"	700×700×(850+70)	12 个圆筛 12pcs Round Basket
LGPC-704C-Y	2800~3700	2000~2500	22	G3/4"	700×700×(850+70)	4 个意式方筛 4pcs Square Basket
LGPC-912C	2800~3700	2000~2500	24	G3/4"	800×900×(850+70)	12 个圆筛 12pcs Round Basket
LGPC-906C-Y	2800~3700	2000~2500	24	G3/4"	800×900×(850+70)	6 个意式方筛 6pcs Square Basket
LGPC-906C-A	2800~3700	2000~2500	12	G3/4"	400×900×(850+70)	6 个圆筛 6pcs Round Basket
LGPC-706C-A	2800~3700	2000~2500	11	G3/4"	400×700×(850+70)	6 个圆筛 6pcs Round Basket

全不锈钢外壳，坚固耐用
脉冲点火器系统，带熄火安全保护装置
高效燃烧器配独立开关及温控器
可调节脚座
燃气炉适用于管道气、天然气、石油气
关键配件由国际著名厂家供应

All stainless steel body, strong and durable
Electronic direct spark ignition, flame failure safety devuce for each control
Heavy duty gas burner with individual switch and thermostat
Adjustable legs
Devices are preset to city gas, natural gas or LPG
Key-component from famous international suppliers



LGBM-9C

立式燃气暖汤池连柜座

GAS BAIN MARIE WITH CABINET



型号 Model	气源压力 Gas Pressure (Pa)		热功率 Power (kW)	入气接口规格 Gas inlet size	外形尺寸 Dimension (mm)
	液化气 LPG	天然气 NG			
LGBM-7C	2800~3700	2000~2500	7	G3/4"	700×700×(850+70)
LGBM-9C	2800~3700	2000~2500	7	G3/4"	800×900×(850+70)
LGBM-7C-A	2800~3700	2000~2500	3.5	G3/4"	350×700×(850+70)
LGBM-9C-A	2800~3700	2000~2500	3.5	G3/4"	400×900×(850+70)

LUXURY ELECTRIC
COMBINATION OVEN
豪华立式电组合炉



国际流行款式，豪华美观
全不锈钢外壳，坚固耐用
自动恒温装置，高效节能

International style,deluxe appearance
High quality stainless steel
High efficiency, energy saving and strong practicality



LER-94V



LER-94C-A

立式圆板电煮食炉连焗炉ELECTRIC ROUND HOT PLATE COOKER WITH OVEN



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
LER-74V	380	14	700×700×(850+70)
LER-76V	380	18.6	1050×700×(850+70)
LER-94V	380	14	800×900×(850+70)
LER-96V	380	18.6	1200×900×(850+70)

立式圆板 / 方板电煮食炉连柜座ELECTRIC ROUND /SQUARE HOT PLATE COOKER WITH CABINET



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
LER-74C	380	9.2	700×700×(850+70)
LER-76C	380	13.8	1050×700×(850+70)
LER-94C	380	9.2	800×900×(850+70)
LER-96C	380	13.8	1200×900×(850+70)
LER-94C-A	380	16	800×900×(850+70)
LER-96C-A	380	24	1200×900×(850+70)

国际流行款式，豪华美观
全不锈钢外壳，坚固耐用
自动恒温装置，高效节能

International style,deluxe appearance
High quality stainless steel
High efficiency, energy saving and strong practicality



LER-96V-A

立式方板电煮食炉焗炉ELECTRIC SQUARE HOT PLATE COOKER WITH OVEN



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
LER-94V-A	380	21	800×900×(850+70)
LER-96V-A	380	29	1200×900×(850+70)

LUXURY ELECTRIC
COMBINATION OVEN

豪华立式电组合炉



国际流行款式，豪华美观
全不锈钢外壳，坚固耐用
自动恒温装置，高效节能

International style, deluxe appearance
High quality stainless steel
High efficiency, energy saving and strong practicality



LEPC-912C

立式电煮面炉连柜座

ELECTRIC PASTA COOKER WITH CABINET



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)	煮面筛 Basket
LEPC-712C	380	15	700×700×(850+70)	12 个圆筛 12pcs Round Basket
LEPC-704C-Y	380	15	700×700×(850+70)	4 个意式方筛 4pcs Square Basket
LEPC-912C	380	18	800×900×(850+70)	12 个圆筛 12pcs Round Basket
LEPC-906C-Y	380	18	800×900×(850+70)	6 个意式方筛 6pcs Square Basket
LEPC-706C-A	380	7.5	400×700×(850+70)	6 个圆筛 6pcs Round Basket
LEPC-906C-A	380	9	400×900×(850+70)	6 个圆筛 6pcs Round Basket



LECB-9C

立式电烧烤炉连柜座

ELECTRIC LAVA ROCK GRILL WITH CABINET



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
LECB-7C	380	10	700×700×(850+70)
LECB-9C	380	12	800×900×(850+70)
LECB-7C-A	380	3.3	350×700×(850+70)
LECB-9C-A	380	4	400×900×(850+70)



LEG-9C



LEG-9EV

立式电扒炉

ELECTRIC GRIDDLE



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
LEG-7C	380	8	700×700×(850+70)
LEG-9C	380	10	800×900×(850+70)
LEG-7C-A	380	2.5	350×700×(850+70)
LEG-9C-A	380	3.3	400×900×(850+70)
LEG-7EV	380	8+5	700×700×(850+70)
LEG-9EV	380	10+5	800×900×(850+70)

备注：扒板可选择全平、1/3 坑（标配）、半平半坑、全坑
Note: Griddle plate can choose all flat/1/3 grooved (standard configuration)/all grooved



LEF-91C



LEF-92C

立式电炸炉连柜座

ELECTRIC FRYER WITH CABINET



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
LEF-72C	380	24	700×700×(850+70)
LEF-71C	380	12	350×700×(850+70)
LEF-92C	380	24	800×900×(850+70)
LEF-91C	380	12	400×900×(850+70)

LUXURY ELECTRIC
COMBINATION OVEN

豪华立式电组合炉



LEBM-7C



LEBM-9C



LHT-400



立式暖汤池连柜座

ELECTRIC BAIN MARIE WITH CABINET

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
LEBM-7C	230	5	700×700×(850+70)
LEBM-9C	230	6	800×900×(850+70)
LEBM-7C-A	230	2.5	350×700×(850+70)
LEBM-9C-A	230	3	400×900×(850+70)



LGTF-9C-80L



LETF-9C-80L



拼台

WORK ELEMENT WITH CABINET

型号 Model	外形尺寸 Dimension (mm)
LHT-350	350×700×(850+70)
LHT-400	400×900×(850+70)

燃气 / 电热可倾斜式炒锅

GAS/ELECTRIC TILTING FRYING PAN



型号 Model	气源压力 Gas Pressure (Pa)		热功率 Power (kW)	入气接口规格 Gas inlet size	容量 Capacity (L)	外形尺寸 Dimension (mm)
	液化气 LPG	天然气 NG				
LGTF-9C-80L	2800~3700	2000~2500	14	G3/4"	80	800×900×920

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	容量 Capacity (L)	外形尺寸 Dimension (mm)
LETF-9C-80L	380	12	80	800×900×920

国际流行款式，豪华美观
全不锈钢外壳，坚固耐用
自动恒温装置，高效节能

International style,deluxe appearance
High quality stainless steel
High efficiency, energy saving and strong practicality



LETF-100TS

LETF-150TS

电热 / 燃气摇摆式炒锅

ELECTRIC / GAS TITING FRYING PAN



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	容量 Capacity (L)	外形尺寸 Dimension (mm)
LETF-100TS	380	12	100	1280×950×950
LETF-150TS	380	15	150	1400×1100×950

型号 Model	气源压力 Gas Pressure (Pa)		热功率 Power (kW)	入气接口规格 Gas inlet size	容量 Capacity (L)	外形尺寸 Dimension (mm)
	液化气 LPG	天然气 NG				
GFP-900TM-100	2800~3700	2000~2500	20	G3/4"	150	1380×1150×1150
GFP-1100TM-150	2800~3700	2000~2500	20	G3/4"	150	1500×1200×1150

LUXURY ELECTRIC
COMBINATION OVEN
豪华立式电组合炉



LETO-9C-100L



GSP-900T-100 GSP-900T-150 GSP-900T-200

电热 / 燃气夹层汤煲

ELECTRIC/GAS BOILING KETTLE

型号 Model	额定电压 Voltage (V)	气源压力 Gas Pressure (Pa)		热功率 Power (kW)	容量 Capacity (L)	外形尺寸 Dimension (mm)
		液化气 LPG	天然气 NG			
LETO-9C-100L	380			15	100	800×900×(850+70)
LGTO-9C-100L		2800~3700	2000~2500	20	100	800×900×(850+70)
LETO-9C-150L	380			15	150	800×900×(850+70)

燃气摇摆式汤锅

GAS TILTING BOILING KETTLE

型号 Model	气源压力 Gas Pressure (Pa)		热功率 Power (kW)	入气接口规格 Gas inlet size	容量 Capacity (L)	外形尺寸 Dimension (mm)
	液化气 LPG	天然气 NG				
GSP-900T-100	2800~3700	2000~2500	20	G3/4"	100	1040×800×1100
GSP-900T-150	2800~3700	2000~2500	20	G3/4"	150	1140×860×1100
GSP-900T-200	2800~3700	2000~2500	20	G3/4"	200	1140×860×1250

国际流行款式，豪华美观
全不锈钢外壳，坚固耐用
自动恒温装置，高效节能

International style,deluxe appearance
High quality stainless steel
High efficiency, energy saving and strong practicality



ESP-1000T-200
ESP-1000T-300



ESP-900T-100
ESP-900T-150

电摇摆式夹层汤锅

ELECTRIC TILTING BOILING KETTLE

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	容量 Capacity (L)	外形尺寸 Dimension (mm)
ESP-900T-100	380	15	100	1050×850×1200
ESP-900T-150	380	15	150	1200×850×1200
ESP-1000T-200	380	22	200	1450×1040×1140
ESP-1000T-300	380	28	300	1550×1150×1250

COUNTER TOP
WESTERN KITCHEN EQUIPMENT
台式组合炉



TEG-7



TECB-7



TEF-72



TER-74



TEPC-712



TGR-74

台式组合炉 COUNTER TOP WESTERN KITCHEN EQUIPMENT

名称 Name	型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
电扒炉 Electric griddle	TEG-7	380	7.5	700×700×380
电烧烤炉 Electric BBQ grill	TECB-7	380	10	700×700×465
电双缸炸炉 Electric fryer	TEF-72	380	10	700×700×480
电四头煮食炉 Electric cooker	TER-74	380	9.2	700×700×380
电煮面炉 Electric pasta cooker	TEPC-712	380	15	700×700×380

燃气四头煲仔炉 GAS STOVE

名称 Name	型号 Model	气源种类 GAS	额定功率 Power (kW)	外形尺寸 Dimension (mm)
开口柜 Cabinet	TG-700			699×564×550
燃气四头煲仔炉 Gas stove	TGR-74	LPG/NG	22	700×700×380

COUNTER TOP
WESTERN KITCHEN EQUIPMENT
台式组合炉



国际流行款式，豪华美观
全不锈钢外壳，坚固耐用
自动恒温装置，高效节能

International style, deluxe appearance
High quality stainless steel
High efficiency, energy saving and strong practicality



TEG-60



TEF-62V



TECB-60



TEPC-66



TER-64



TEBM-64

台式组合炉 COUNTER TOP WESTERN KITCHEN EQUIPMENT



名称 Name	型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
电扒炉 Electric griddle	TEG-60	220~240	5	600×600×370
电炸炉 Electric fryer	TEF-62V	220~240	2.5+2.5	600×600×370
电烤炉 Electric lava rock grill	TECB-60	220/380	7.2	650×600×370
电煮面炉 Electric pasta cooker	TEPC-66	220~240	6	600×600×370
4头电煮食炉 Electric cooker	TER-64	220/380	8	600×600×370
电暖汤池 Electric bain marie	TEBM-64	220~240	1.5	700×600×370



TGG-60



TGF-62V



TGCB-60



TGPC-66



TGR-62



TGR-64

台式燃气豪华组合 COUNTER TOP LUXURY WESTERN KITCHEN EQUIPMENT



名称 Name	型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
燃气扒炉 Gas griddle	TGG-60	LPG/NG	2×4	600×600×370
燃气炸炉 Gas fryer	TGF-62V	LPG/NG	2×5	600×600×370
燃气烤炉 Gas lava rock grill	TGCB-60	LPG/NG	2×6	650×600×370
燃气煮面炉 Gas pasta cooker	TGPC-66	LPG/NG	2×5	600×600×370
燃气煲仔炉 Gas stove	TGR-62	LPG/NG	2×5	300×600×370
燃气煲仔炉 Gas stove	TGR-64	LPG/NG	4×5	560×600×370
燃气汤池 Gas bain marie	TGBM-64	LPG/NG	4	700×600×370

ELECTRIC
FRYER

不锈钢电炸炉



发热管可翻转，油缸可以取出，容易清洁
炸篮为双排线框架结构，美观耐用

Heavy gauge stainless steel construction
Removable heating head with lock and safety cut out
Single lined fryer
Extreme-big heating power, rapid temperature increase
Auto constant temperature control
High-efficiency and low energy, easy to clean
Strong stainless steel frying basket



EFC-101V



EFC-102V

电炸炉

ELECTRIC FRYER WITH TAP



型号 Model	油缸容量 Capacity (L)	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EFC-101V	10	220~240	3.3	290×520×385
EFC-102V	10+10	220~240	3.3+3.3	590×520×385
EFC-131V	13	220~240	3.3	290×570×385
EFC-132V	13+13	220~240	3.3+3.3	590×570×385
EF-5LV	5	220~240	2	190×525×380
EF-52LV	5+5	220~240	2+2	390×525×380
EF-6LV	6	220~240	3	275×525×330
EF-62LV	6+6	220~240	3+3	560×525×330



EF-903



EF-904

台式大容量电炸炉

ELECTRIC FRYER



型号 Model	油缸容量 Capacity (L)	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EF-903	12.5	220~240	4.5	300×600×430
EF-904	12.5+12.5	220~240	4.5+4.5	660×600×430



EF-101S



EF-12



EF-12C



EF-22



EF-25

不锈钢无烟电炸炉

S/S SMOKELESS ELECTRIC FRYER



型号 Model	油缸容量 Capacity (L)	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EF-101S	10	220~240	2.8	280×455×265
EF-102S	10+10	220~240	2.8+2.8	566×455×265
EF-131S	13	220~240	3.3	280×455×310
EF-132S	13+13	220~240	3.3+3.3	566×455×310

不锈钢电炸炉（单缸）

S/S SINGLE TANK ELECTRIC FRYER



型号 Model	油缸容量 Capacity (L)	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EF-12	12	220~240	3	480×455×240
EF-22	22	380	6	600×545×420
EF-25	25	380	9	715×585×420
EF-12C	12	220~240	3	650×430×295

ELECTRIC

FRYER

不锈钢电炸炉



EF-101/EF-131



EF-061/EF-081

不锈钢电炸炉 (单缸)

S/S SINGLE TANK ELECTRIC FRYER



型号 Model	油缸容量 Capacity (L)	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EF-061	6	220~240	2	190×440×275
EF-081	8	220~240	2	190×440×330
EF-101	10	220~240	3	290×440×290
EF-131	13	220~240	3.3	290×440×340
EF-171	17	220~240	5	290×500×335



EF-102/EF-132



EF-062/EF-082

不锈钢电炸炉 (双缸)

S/S 2-TANK ELECTRIC FRYER



型号 Model	油缸容量 Capacity (L)	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EF-062	6+6	220~240	2+2	390×440×275
EF-082	8+8	220~240	2+2	390×440×330
EF-102	10+10	220~240	3+3	590×440×290
EF-132	13+13	220~240	3.3+3.3	590×440×340
EF-172	17+17	220~240	5+5	600×500×335

ELECTRIC FRYER WITH VALVE

带阀电炸炉

超温保护, 配置排油阀, 工作完后可直接排油, 方便快捷
容易清洁, 炸篮为双排线框架结构, 美观耐用

Heavy gauge stainless steel construction
Removable heating head with lock and safety cut out
With tap easy for cleaning
Single lined fryer
Extreme-big heating power, rapid temperature increase
Auto constant temperature control
High-efficiency and low energy, easy to clean
Strong stainless steel frying basket



EFB 系列, 油缸与机箱一体结合, 令产品更加坚固耐用。
油缸底部倾斜容易清洗
EFB series the oil pan welding with the body,
luxurious, beautiful and strong, easy for cleaning



EFB-101V
EFB-151V
EFB-221V



EF-101V EF-161V
EF-131V EF-191V

带阀电炸炉 (单缸)

SINGLE TANK ELECTRIC FRYER WITH TAP



型号 Model	油缸容量 Capacity (L)	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EF-101V	10	220~240	3	280×495×345
EF-131V	13	220~240	3.3	310×505×355
EF-161V	16	220~240	5	340×560×380
EFB-101V	10	220~240	3	305×555×400
EFB-151V	15	220~240	3.3	340×600×425
EFB-221V	22	220~240	5	380×660×435



EFB 系列, 油缸与机箱一体结合, 令产品更加坚固耐用。油缸底部倾斜容易清洗
EFB series the oil pan welding with the body, luxurious, beautiful and strong, easy for cleaning



EF-102V EF-132V EF-162V



EFB-102V EFB-152V EFB-222V

带阀电炸炉 (双缸)

2-TANK ELECTRIC FRYER WITH TAP



型号 Model	油缸容量 Capacity (L)	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EF-102V	10+10	220~240	3+3	570×495×345
EF-132V	13+13	220~240	3.3+3.3	630×505×355
EF-162V	16+16	220~240	5+5	690×560×380
EFB-102V	10+10	220~240	3+3	615×555×400
EFB-152V	15+15	220~240	3.3+3.3	685×600×425
EFB-222V	22+22	220~240	5+5	760×660×435



超温保护，配置排油阀，工作完后可直接排油，方便快捷
容易清洁，炸篮为双排线框架结构，美观耐用

Heavy gauge stainless steel construction
Removable heating head with lock and safety cut out
With tap easy for cleaning
Single lined fryer
Extreme-big heating power, rapid temperature increase
Auto constant temperature control
High-efficiency and low energy, easy to clean
Strong stainless steel frying basket



EFD-8L



EFS-8L-V

自动升降电炸炉

AUTOMATIC LIFT-UP ELECTRIC FRYER

RoHS

CE

ELV

型号 Model	油缸容量 Capacity (L)	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EFD-8L	8	220~240	3.2	270×650×435
EFS-8L-V	8	220~240	3.2	270×650×435



EFD-101V



EFD-101



EFD-8LV

电脑版炸炉

COMPUTER CONTROL ELECTRIC FRYER

RoHS

CE

ELV

型号 Model	油缸容量 Capacity (L)	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EFD-101	10	220~240	3	290×460×290
EFD-102	10+10	220~240	3+3	590×460×290
EFD-101V	10	220~240	3	280×495×345
EFD-102V	10+10	220~240	3+3	570×495×345
EFD-131V	13	220~240	3.3	310×505×355
EFD-132V	13+13	220~240	3.3+3.3	630×505×355
EFD-8LV	8	220~240	3.3	275×525×380
EFD-82LV	8+8	220~240	3.3+3.3	560×525×380

ELECTRIC

FRYER WITH CABINET

座地式电炸炉

豪华美观，发热管可翻转，容易清洁，超温保护，炸篮为绕线结构，
美观耐用，配置排油阀

Heavy gauge stainless steel construction luxurious and beautiful
Removable heating head with lock and safety cut out
Extreme-big heating power, rapid temperature increase
Auto constant temperature control
High-efficiency and low energy, easy to clean
Strong stainless steel frying basket



EFB-102V/C
EFB-152V/C
EFB-222V/C



EF-161V/C



EF-85B



EF-162V/C



EFB 系列，油缸与机箱一体结合，令产品更加坚固耐用。
油缸底部倾斜容易清洗
EFB series the oil pan welding with the body,
luxurious, beautiful and strong, easy for cleaning

座地式电炸炉

ELECTRIC FRYER WITH CABINET

RoHS

CE

ELV

型号 Model	油缸容量 Capacity (L)	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EFB-102V/C	10+10	220~240	3+3	615×460×970
EFB-152V/C	15+15	220~240	3.3+3.3	695×530×970
EFB-222V/C	22+22	220~240	5+5	760×590×970
EF-482T/C	48+48	380~415	9+9	840×730×980
EF-481T/C	48	380~415	9	420×460×975
EF-161V/C	16	220~240	5	340×560×980
EF-162V/C	16+16	220~240	5+5	690×560×980
EF-85B	14+14	220~240	4+4	610×630×960

ELECTRIC
FRYER WITH CABINET
座地式电炸炉



EFP-1200



EF-18/C



EF-23/C

立式电炸炉

STANDING ELECTRIC FRYER



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EF-18/C	220~380	6~9	450×610×980
EF-23/C	220~380	6~9	550×610×980
EF-301/C	220~380	6~9	600×610×980
EF-302/C	220~380	6~9X2	1100×610×980

立式电炸炉

STANDING ELECTRIC FRYER



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EFP-1080	220~380	6~9	1080×750×1100
EFP-1200	220~380	6~9	1200×750×1100
EFP-1250	220~380	8~12	1200×750×1100
EFP-1500	220~380	6~9	1500×750×1100

GAS FRYER
燃气炸炉

豪华美观，发热管可翻转，容易清洁，超温保护，炸篮为绕线结构，美观耐用，配置排油阀

Heavy gauge stainless steel construction luxurious and beautiful
Removable heating head with lock and safety cut out
Extreme-big heating power, rapid temperature increase
Auto constant temperature control
High-efficiency and low energy, easy to clean
Strong stainless steel frying basket



GF-71A



GF-72A



GF-71



GF-72

燃气炸炉

GAS FRYER



型号 Model	油缸容量 Capacity (L)	炸筛数量 Frying basket	燃气种类 Gas	外形尺寸 Dimension (mm)
GF-71	10	1	LPG 2800pa	290×520×430
GF-72	10+10	2	LPG 2800pa	580×520×430
GF-71A	18	1	LPG 2800pa	350×680×610
GF-72A	18+18	2	LPG 2800pa	665×680×610



GAS
FRYER

燃气炸炉



GF-380YS GF-290YS

LGF-3R LGF-4R LGF-5R

燃气油水混合炸炉 OIL-WATER INTEGRATED GAS FRYER

型号 Model	燃气种类 Gas	热功率 Power (kW)	外形尺寸 Dimension (mm)
GF-380YS	LPG 2800pa	14	480×700×1050
GF-290YS	LPG 2800pa	11	380×700×1050

立式燃气炸炉 GAS FRYER

型号 Model	燃气种类 Gas	热功率 Power (kW)	外形尺寸 Dimension (mm)
LGF-3R	LPG 2800pa	12	400×770×1165
LGF-4R	LPG 2800pa	16	400×770×1165
LGF-5R	LPG 2800pa	20	540×770×1165

ELECTRIC GRIDDLE

电扒炉

精钢扒面板，加热迅速、均匀，自动恒温装置，机身前置护杆，保护温控器

All stainless steel construction, easy clean surface
High-efficient, energy-saving and useful
Solid 12mm thick steel cooking plate
Removable grease trap
Full sized cooking area
Auto constant temperature control



EG500



EG600-2
EG750-2



EG1000



EG820



EG818



EG600P

电扒炉（平面） ELECTRIC GRIDDLE（ALL FLAT）



型号 Model	扒板厚度 Thickness of the hot plate (mm)	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EG518	10	220~240	2.4	550×380×240
EG818	8	220~240	3	550×470×230
EG820	8	220~240	4.4	730×510×230
EG410	12	220~240	2.5	415×500×255
EG500	12	220~240	3	500×520×310
EG600	12	220~240	5	600×520×310
EG750	12	220~240	6	750×520×310
EG1000	12	220~240	6	1000×520×310

电扒炉（半平半坑） ELECTRIC GRIDDLE（HALF FLAT&HALF GROOVED）



型号 Model	扒板厚度 Thickness of the hot plate (mm)	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EG518-2	10	220~240	2.4	550×380×240
EG818-2	8	220~240	3	550×470×230
EG820-2	8	220~240	4.4	730×510×230
EG410-2	12	220~240	2.5	415×500×255
EG500-2	12	220~240	3	500×520×310
EG600-2	12	220~240	5	600×520×310
EG750-2	12	220~240	6	750×520×310
EG1000-2	12	220~240	6	1000×520×310

电脑版电扒炉 COMPUTER CONTROL ELECTRIC GRIDDLE



型号 Model	扒板厚度 Thickness of the hot plate (mm)	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EG500P	12	220~240	3	500×520×310
EG600P	12	220~240	5	600×520×310
EG750P	12	220~240	6	750×520×310

GRIDDLE

燃气扒炉



电扒炉 (镜面) ELECTRIC GRIDDLE(CHROME SURFACE)



型号 Model	扒板厚度 Thickness of the hot plate (mm)	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EG518D	10	220~240	2.4	550×380×240
EG410D	12	220~240	2.5	415×500×255
EG500D	12	220~240	3	500×520×310
EG600D	12	220~240	5	600×520×310
EG750D	12	220~240	6	750×520×310
EG1000D	12	220~240	6	1000×520×310



EG518D



EG600D

EG750D



GT750



GT1000

燃气扒炉(镜面) GAS GRIDDLE (CHROME SURFACE)



型号 Model	燃气种类 GAS (Pa)	扒板厚度 Thickness of the hot plate (mm)	外形尺寸 Dimension (mm)
GT500D	LPG 2800pa	12	500×590×500
GT600D	LPG 2800pa	12	600×590×500
GT750D	LPG 2800pa	12	750×590×500
GT1000D	LPG 2800pa	12	1000×590×500
GTI1200D	LPG 2800pa	16	1200×795×940

燃气扒炉 (半平半坑) GAS GRIDDLE (HALF FLAT&HALF GROOVED)



型号 Model	燃气种类 GAS (Pa)	扒板厚度 Thickness of the hot plate (mm)	外形尺寸 Dimension (mm)
GT500-2	LPG 2800pa	12	500×590×500
GT600-2	LPG 2800pa	12	600×590×500
GT750-2	LPG 2800pa	12	750×590×500
GT1000-2	LPG 2800pa	12	1000×590×500
GT1200-2	LPG 2800pa	16	1200×795×940

立式燃气扒炉 GAS GRIDDLE



型号 Model	燃气种类 GAS (Pa)	扒板厚度 Thickness of the hot plate (mm)	外形尺寸 Dimension (mm)
GT1000D-R	LPG 2800pa	16	1000×675×985



GT1000D-R

ELECTRIC CONVECTION OVEN

热风循环电焗炉

带可视门窗，烘烤情况一目了然，活动式烤架及烤盘

All stainless steel construction
High-efficient, energy-saving&useful
Removable baking grill



EB-2F



EB-8F



EB-4F



EB-4F-PC

热风循环电焗炉

ELECTRIC CONVECTION OVEN



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	烤盘尺寸 Baking pan size (mm)	外形尺寸 Dimension (mm)
EB-2F	220~240	2.67	GN1/2×3PCS	460×570×460
EB-4F	220~240	2.67	435×315×4PCS	595×600×580
EB-6F	220~240	2.67	GN1/1×4PCS	695×600×580
EB-8F	220~240	6.4	400×600×4PCS	835×796×572
EB-2F-PC	220~240	2.2	GN1/2×3PCS	683×598×404
EB-4F-PC	220~240	3.2	435×315×4PCS	683×598×490

ELECTRIC
BAKING OVEN

电焗炉



EB-420



EB-520



EB-40B



EB-620



EB-20B

电焗炉

ELECTRIC BAKING OVEN



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EB-420	220~240	3	710×550×450
EB-520	220~240	3	770×715×450
EB-620	220~240	3	865×715×450
EB-20B	220~240	5.7	1210×800×520
EB-40B	380	11.4	1210×750×870
EB-60B	380	17.1	1210×750×1570

ELECTRIC

PIZZA OVEN

电披萨炉

不锈钢面板；升温迅速，炉温可达 450-500℃；耐高温防爆玻璃观察窗，高亮度照明灯，工作过程可实时监控；火山石板通过无毒测试，可与食物直接接触

Stainless steel front door and front panel
Max. 450-500℃ thermostat control. Fast cooking within 5 mins
Thermostat control separate for upper and lower heating element inside each deck
Reinforced door for easy service and frequently open and close operation
Reinforced high temperate glass window for monitor pizza baking condition
Long live halogen lighting system for better to check pizza baking process



EPZ-18



EPZ-2M



EPZ-2 EPZ-218

电披萨炉

ELECTRIC PIZZA OVEN



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	调温范围 Temperature	外形尺寸 Dimension (mm)	内腔尺寸 Chamber (mm)	每次烤比萨饼数量 Capacity
EPZ-2M	220~240	1.8	0~350℃	516×470×360	330×330×100×2Pcs	12" pizza×2pcs
EPZ-2	220~240	2.4	0~350℃	585×550×430	400×400×115×2Pcs	12" pizza×2pcs
EPZ-218	220~240	3	0~350℃	685×675×430	500×500×115×2pcs	18" pizza×2pcs
EPZ-18	220~240	2	0~350℃	685×675×280	500×500×115×1pcs	18" pizza×1pcs
EPZ-1	220~240	1.6	0~350℃	585×550×230	400×400×115×1pcs	12" pizza×1pcs



不锈钢面板；升温迅速，炉温可达 450-500℃；耐高温防爆玻璃观察窗，高亮度照明灯，工作过程可实时监控；火山石板通过无毒测试，可与食物直接接触

Stainless steel front door and front panel
Max. 450-500℃ thermostat control. Fast cooking within 5 mins
Thermostat control separate for upper and lower heating element inside each deck
Reinforced door for easy service and frequently open and close operation
Reinforced high temperate glass window for monitor pizza baking condition
Long live halogen lighting system for better to check pizza baking process



披萨架 Pizza ovne with shelf
EPZ-4/EPZ-6/EPZ-8/EPZ-12



EPZ-4/EPZ-6



EPZ-8/EPZ-12



EPZ-36



EPZ-33

电披萨炉

ELECTRIC PIZZA OVEN

RoHS

CE

EN

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	调温范围 Temperature	外形尺寸 Dimension (mm)	内腔尺寸 Chamber (mm)	每次烤比萨饼数量 Capacity
EPZ-4	380	4.5	0~450℃	975×915×415	660×660×135×1Pcs	12" pizza×4pcs
EPZ-6	380	6.9	0~450℃	975×1210×415	660×990×135×1Pcs	12" pizza×6pcs
EPZ-8	380	9	0~450℃	975×915×745	660×660×135×2Pcs	12" pizza×8pcs
EPZ-12	380	13.8	0~450℃	975×1210×745	660×990×135×2Pcs	12" pizza×12pcs

电比萨炉

ELECTRIC PIZZA OVEN

RoHS

CE

EN

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	调温范围 Temperature	外形尺寸 Dimension (mm)	内腔尺寸 Chamber (mm)
EPZ-33	380	5.94	0~350℃	1330×620×360	1130×420×130×1PCS
EPZ-36	380	10.38	0~350℃	1330×1060×360	1130×850×130×1PCS

GAS

PIZZA OVEN

燃气披萨炉



GPZ-4



EPZ-215W



EPZ-15W



GPZ-6

电比萨炉

ELECTRIC PIZZA OVEN



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	调温范围 Temperature	外形尺寸 Dimension (mm)	内膛尺寸 Chamber (mm)	每次烤比萨饼数量 Capacity
EPZ-215W	220~240	5.2	50~320℃	1130×630×370	830×420×130×2PCS	15" pizza×2pcs
EPZ-15W	220~240	4.3	50~320℃	715×630×370	415×420×130×2PCS	15" pizza×2pcs

燃气披萨炉

GAS PIZZA OVEN



型号 Model	燃气功率 Power (KW)	外形尺寸 Dimension (mm)	内膛尺寸 Chamber (mm)
GPZ-4	8	1265×920×(530+40)	660×680×150
GPZ-6	10	1595×920×(530+40)	990×680×150

COUNTER

TOP GAS STOVE

台式燃气煲仔炉

长明火设计，带熄火保护，火力调节，符合欧洲安全要求

Stainless steel construction luxurious and beautiful
High-efficiency and low energy, easy to clean
Lighter ignition, with ignition flame, flame failure safety device for each control
Key-component from famous supplier, according to the Euro standard



GB-2



GB-2Y



GB-3Y



GB-4Y



GB-6Y

台式燃气煲仔炉

COUNTER TOP GAS STOVE



型号 Model	气源种类 (GAS)	热功率 Power (kW)	外形尺寸 Dimension (mm)
GB-2Y	天然气和液化气 Natural gas, LPG 2800pa	11	660×428×308
GB-2		11	375×735×308
GB-3Y		16	990×428×308
GB-4Y		22	765×735×308
GB-6Y		33	1150×735×308

COUNTER
TOP GAS STOVE
台式燃气煲仔炉



TGR-2



GR-1D

台式燃气煲仔炉

COUNTER TOP GAS STOVE



型号 Model	气源种类 (GAS)	热功率 Power (kW)	外形尺寸 Dimension (mm)
GR-1D	天然气和液化气 Natural gas, LPG 2800pa	14	458×585×475
TGR-2		11	300×805×360
TGR-4		22	600×805×360
TGR-6		33	900×805×360

ELECTRIC ROTISSERIES

旋转电烤炉

全不锈钢结构，旋转烤制，快速均匀

All stainless steel construction, easy clean surface
High-efficient, energy-saving and useful, even temperature



EVR-266



EVR-268



GVR-206V



EVR-206L

旋转电烤炉

ELECTRIC ROTISSERIE



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EVR-266	220~240	4.7	810×600×610
EVR-268	220~240	6.2	1010×600×800

立式旋转电烤炉

ELECTRIC VERTICAL ROTISSERIESv



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EVR-206L	220/380	7.2	670×550×1580

立式旋转燃气烤炉

GAS VERTICAL ROTISSERIES



型号 Model	燃气种类 GAS (Pa)	热功率 Power (kW)	外形尺寸 Dimension (mm)
GVR-206V	LPG 2800pa	9	670×550×1580

ELECTRIC

LIFT-UP SALAMANDER

升降电面火炉



EMH-600S EMH-800S



EMH-450S

升降电面火炉

ELECTRIC LIFT-UP SALAMANDER



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EMH-450S	220~240	2.8	450×480×500
EMH-600S	220~240	4	600×480×520
EMH-800S	220~240	5.6	800×480×520



EMH-936



EMH-937



EMH-938



EMH-550



EMH-934

挂墙式电面火炉

COUNTER TOP ELECTRIC SALAMANDER



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EMH-936	220~240	2	610×340×280
EMH-937	220~240	4	800×450×470
EMH-938	220~240	2.2	580×390×390
EMH-550	220~240	3	550×480×300
EMH-934	220~240	2.85	730×410×380

ELECTRIC

COOKER

电煮食炉



ECK-2Y



ECK-1Y

电煮食炉

ELECTRIC COOKER



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)	盘径 Hot plate dim (mm)
ECK-1Y	220~240	2.6	380×440×185	220
ECK-2Y	220~240	2.6+2.6	760×440×185	220



MHQ-360T

石英烘炉

QUARTZOSE TUBE OVEN



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
MHQ-360E	220~240	3.6	490×250×380
MHQ-360ET	220~240	3.6	490×250×380
MHQ-240E	220~240	2.4	490×250×280
MHQ-240ET	220~240	2.4	490×250×280
MHQ-360	220~240	3.6	490×250×380
MHQ-360T	220~240	3.6	490×250×380
MHQ-240	220~240	2.4	490×250×280
MHQ-240T	220~240	2.4	490×250×280



全不锈钢镜面板，豪华美观，红外线加热，可选用石英管和电热管

All stainless steel construction
High-efficient, energy-saving&useful
Quartzose tube or stainless steel heating elements



MHQ-200



MHQ-300



MHQ-4S

石英烘炉

QUARTZOSE TUBE OVEN



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
MHQ-200	220~240	2	450×290×305
MHQ-300	220~240	3	450×290×435
MHQ-4S	220~240	3.5	410×330×460

USA GAS

LAVA ROCK

美国款燃气火山石烧烤炉



CB-24



CB-12



CB-36

美国款燃气火山石烧烤炉

USA GAS LAVA ROCK GRILL



型号 Model	气源种类 (GAS)	外形尺寸 Dimension (mm)
CB-12	Natural gas, LPG 2800pa	310×660×390
CB-24	Natural gas, LPG 2800pa	610×660×390
CB-36	Natural gas, LPG 2800pa	915×660×390



ESK-2

电热烧烤炉

ELECTRIC BARBECUE STOVE



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
ESK-1	220~240	3	610×360×100
ESK-2	220~240	6	1120×360×200

ELECTRIC
TOASTER

多士炉



ET-4



ET-6

多士炉

ELECTRIC TOASTER

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	面包数 Bread (PCS)	外形尺寸 Dimension (mm)
ET-4	220~240	1.8	4	335×270×215
ET-6	220~240	2.5	6	430×270×215



VT-250

汉堡机

ELECTRIC BURGER MACHINE

型号 Model	电压 Voltage (V)	功率 Power (kW)	外形尺寸 Dimension (mm)
VT-250	220~240	1.83	450×356×620



ETT-150



ETT-300



ETT-450



ETT-160
ETT-360
ETT-460

链式多士炉

ELECTRIC CONVEYOR TOASTER

型号 Model	电压 Voltage (V)	功率 Power (kW)	产量 (片 / 小时) Pieces of bread/H	外形尺寸 Dimension (mm)
ETT-150	220~240	1.35	150~180	288×418×387
ETT-300	220~240	2.25	300~350	368×418×387
ETT-450	220~240	2.65	450~500	468×418×387
ETT-160	220~240	1.35	150~180	310×565×4107
ETT-360	220~240	2.25	300~350	390×565×410
ETT-460	220~240	2.65	450~500	490×565×410



WDR-12

电传送比萨电烘炉

ELECTRIC CONVEYOR PIZZA OVEN

型号 Model	电压 Voltage (V)	功率 Power (kW)	外形尺寸 Dimension (mm)
WDR-12	220~380	6.7	1495×595×405

PASTA
COOKER

煮面炉



EPC-TM-3



EPC-TM-6

升降式电煮面炉

AUTOMATIC LIFT-UP ELECTRIC NOODLE COOKER

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EPC-TM-6	220~380	9	670×830×(850+210)
EPC-TM-3	220~380	4.5	335×830×(850+210)



OKB-2

关东煮机

ELECTRIC ODEN COOKING MACHINE

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
OKB-2	220~240	2.6	647×370×292

三个水箱独立工作，可单个加热，也可三个同时加热；高效节能

All stainless steel construction
High-efficient, energy-saving & useful
Thermostat control
Cast aluminum heating plate high efficient



EPC-2Y



EPC-4A



EPC-6A



EPC-2

台式电煮面炉

COUNTER TOP PASTA COOKER



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EPC-2Y	220~240	4.5	400×680×370
EPC-4A	220~240	3.2	420×600×350
EPC-6A	220~240	4.8	600×600×350
EPC-2	220~240	2	180×406×275



NB-2D



NB-1C

煮面炉粉筛


PASTA BASKET



产品名称 Name	型号 Model	外形尺寸 Dimension (mm)
方形煮面炉粉筛 Square pasta basket	NB-1D	140×140×200
	NB-2D	290×168×200
圆形煮面炉粉筛 Round pasta basket	NB-1C	φ 135×145

备注：全不锈钢材质 304 Note: all stainless steel 304

WAFFLE
BAKER
电华夫炉



加热盘不粘涂层，容易清洁，恒温装置
All stainless steel construction
Non stick surface,easy clean
Thermostat contro



NP-511



NP-504



NP-2218



NP-510



NP-101



NP-517



NP-99



NP-527



NP-535



NP-536



NP-507



NP-502



NP-508

电华夫炉

WAFFLE BAKER



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
NP-527	220~240	1.8	362×360×245
NP-99	220~240	1.8	280×395×245
NP-101	220~240	1.8	300×295×245
NP-502	220~240	1.8	300×420×245
NP-504	220~240	1.8	300×420×245
NP-508	220~240	1.8	300×420×260
NP-507	220~240	1.8	300×420×245
NP-517	220~240	1.8	300×420×245
NP-510	220~240	1.8	300×420×250
NP-535	220~240	1.8	365×360×245
NP-536	220~240	1.8	365×360×245
NP-2218	220~240	1.8	300×420×250
NP-511	220~240	1.8	560×440×270

WAFFLE
BAKER
电华夫炉



电华夫炉 WAFFLE BAKER				RoHS	CE	EN
型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)			
HF-1	220~240	1	360×250×230			
HF-2	220~240	1+1	360×500×230			
HF-1F	220~240	2	300×420×260			
HF-2F	220~240	2+2	600×420×260			
NP-549	220~240	3.2	500×610×160			

电脑版手抓饼机 COMPUTER CONTROL CONTACT GRILL			
型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
SZ-265	220~240	2	320×540×300



SZ-265

CONE
BAKER
雪糕皮机



雪糕皮机 CONE BAKER				RoHS	CE	EN
型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)			
XGP-1	220~240	1	360×250×230			
XGP-2	220~240	1+1	360×500×230			



刀叉消毒箱 / 鸡蛋消毒箱 ELECTRIC KNIFE STERILIZER				RoHS	CE	EN
型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)			
DX-1	220~240	0.01	400×150×615			
DX-2	220~240	0.02	400×300×615			
OX-30-B	220~240	0.06	360×430×220			
OX-30-D	220~240	0.06	360×430×320			

ELECTRIC
MULTIFUNCTION COOKING STATION
组合炉



EWFG-1200



LEFG-1200

**电扒炸保温组合炉
/ 电炸炉手抓饼机组合炉**

ELECTRIC MULTIFUNCTION COOKING STATION

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EWFG-1200	220~240	8	1200×670×850
LEFG-1200	220~240	8.5	1200×630×1008

HOT DOG WARMER

热狗机

全不锈钢机身、不锈钢辊轴；抽屜式接油盘，卫生方便

Adjustable temperature control
Easy-to-clean pull out drip pan
All stainless steel construction
High-efficient, energy-saving & useful



HD-5



HD-11



HD-7X



HD-9X



HD-14F



HD-8F

热狗机 HOT DOG WARMER



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
HD-5	220~240	0.5	440×250×175
HD-7	220~240	0.7	440×325×175
HD-9	220~240	0.9	550×400×175
HD-11	220~240	1.1	550×475×175
HD-5X	220~240	0.5	440×310×380
HD-7X	220~240	0.7	440×325×380
HD-9X	220~240	0.9	575×380×430
HD-11X	220~240	1.1	575×450×430
HD-8F	220~240	1.25	530×360×165
HD-14F	220~240	2.15	530×530×165

HOT DOG
WARMER
热狗保温机

耐高温玻璃
铝合金加热棒

High temperature resistant glass
Aluminum heating rods



HDW-1T



HDW-1



HDW-2

热狗机

HOT DOG WARMER



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
HDW-1	220~240	0.3	245×330×360
HDW-2	220~240	0.58	480×330×360
HDW-1T	220~240	1	360×260×265

PANINI

CONTACT GRILL

电三文治机

铸铁加热板、表面搪瓷处理，清洁卫生

Heavy gauge stainless steel construction
Extreme-big heating power, rapid temperature increase
Auto constant temperature control
High-efficiency and low energy
Non stick surface heating plate,easy to clean



EGD-20



EGD-14



EGD-14B



EGD-10

电三文治机

PANINI CONTACT GRILL



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EGD-10	220~240	1.8	320×410×190
EGD-10A	220~240	1.8	320×410×190
EGD-10B	220~240	1.8	320×410×190
EGD-14	220~240	2.2	440×410×190
EGD-14A	220~240	2.2	440×410×190
EGD-14B	220~240	2.2	440×410×190
EGD-20	220~240	3.6	580×410×190
EGD-20A	220~240	3.6	580×410×190
EGD-20B	220~240	3.6	580×410×190

电班戟炉



All stainless steel construction
400mm Non stick surface heating plate, easy clean
Thermostat control



ECM-2



ECM-1

电班戟炉

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)	盘径 Cooking plate dim (mm)
ECM-1	220~240	3	450×490×235	400
ECM-2	220~240	3+3	860×490×235	400



GCM-2



GCM-1

燃气班戟炉

RoHS **CE**

型号 Model	燃气种类 GAS (Pa)	外形尺寸 Dimension (mm)	盘径 Cooking plate dim (mm)
GCM-1	LPG /NG	450×490×235	400
GCM-2	LPG /NG	860×490×235	400

爆谷机

High-output, stainless steel popping pot provides optimum performance and easy cleaning
Presentation lamp lights the cabinet interior and highlights the popped corn for added impulse sales
Four sides with toughened glass safety as well as easy cleaning



EP-8



EP-8F



EP-8Y

台式爆谷机

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EP-8	220~240	1.3	500×360×650
EP-8F	220~240	1.3	550×445×730
EP-8Y	220~240	1.3	510×410×690

圆桶电热开水器

- Sight tube for visible level indication
- Non drip tap
- Concealed element
- Swivel locking lid
- Boil dry protection
- Automatic boil and simmer – no temperature adjustment needed
- Indicator lights for power and temperature



BW-30/36



BW-12/16

圆桶电热开水器

RoHS **CE**

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
BW-12	220~240	1.5	Φ263×430
BW-16	220~240	1.5	Φ263×480
BW-30	220~240	2.5	Φ303×535
BW-36	220~240	2.5	Φ303×610

Single wall and double wall construction
High efficiency, energy saving and stable water temperature
Boil dry protection



BWS-10Z



BWS-20Z

全不锈钢开水器

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
BWZ-5Z	220~240	2.4	Φ221×384
BWZ-10Z	220~240	2.4	Φ221×478
BWZ-20Z	220~240	2.4	Φ226×602
BWZ-30Z	220~240	2.4	Φ385×499
BWZ-40Z	220~240	2.4	Φ385×582
BWZ-05ZD	220~240	2.4	Φ241×380
BWZ-07ZD	220~240	2.4	Φ241×430
BWZ-10ZD	220~240	2.4	Φ241×480
BWZ-20ZD	220~240	2.4	Φ288×570

蒸馏咖啡机



Stainless steel #304 construction
High efficient stainless steel heating element and stainless steel inner liner
Temperature-controlling-and-limiting device incorporated into the machine,
safety, high efficiency, energy saving, and easy operation



DW-17

蒸馏咖啡机 DISTILLING COFFEE MAKER



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
DW-17	220~240	2.06	205×385×450



Stainless steel construction
Sight tube for visible level indication

咖啡桶 COFFEE BOILER



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
BC-10	220~240	1.6	Φ230×470
BC-16	220~240	1.6	Φ275×530
BC-20	220~240	1.6	Φ275×600



1.7L

咖啡壺 COFFEE KETTLE



型号 Model	净重 Net weight (kg)	外形尺寸 Dimension (mm)
1.7L	0.3	205×385×450



TW-2 双暖

Stainless steel body, electric heater plate
High efficiency and save energy

咖啡炉 COFFEE MAKER



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)	备注 Note
TW-2 双暖	220~240	0.2	350×240×70	2-warmer

FOOD SERVICE CART

推车款暖汤池

推车款暖汤池

FOOD SERVICE CART



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
BMC-2	220~240	2	625×855×870
BMC-3	220~240	3	625×1220×270
BMC-4	220~240	4	625×1585×570



BMC-3

BAIN MARIE (WITH GLASS)

暖汤池（有玻璃罩）

Heavy gauge stainless steel construction
3 to 5 large 1/2 gastronomes, 3 to 8 large 1/3 gastronomes
Freely adjust structure
Auto temperature control
LCD temperature indication



BM-63



BM-5

暖汤池（有玻璃罩）

BAIN MARIE(WITH GLASS)



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)	配置份盘 (GN pan qty)
BM-3	220~240	1	950×365×330	3pcs 1/2×100mm
BM-4	220~240	1.5	1215×365×330	4pcs 1/2×100mm
BM-5	220~240	1.8	1485×365×330	5pcs 1/2×100mm
BM-33	220~240	1	685×365×330	3pcs 1/3×100mm
BM-43	220~240	1	862×365×330	4pcs 1/3×100mm
BM-53	220~240	1.5	1039×365×330	5pcs 1/3×100mm
BM-63	220~240	1.5	1215×365×330	6pcs 1/3×100mm
BM-73	220~240	1.5	1393×365×330	7pcs 1/3×100mm
BM-83	220~240	1.8	1570×365×330	8pcs 1/3×100mm



自动恒温装置，可随意调整份数盘排列

Heavy gauge stainless steel construction
Freely adjust structure
Auto temperature control



暖汤池（无玻璃罩）

BAIN MARIE(NO GLASS)

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)	配置份盘 (GN pan qty)
BM-2T	220~240	1	430×680×275	1/2×100mm 2Pcs
BM-4T	220~240	1.5	750×680×275	1/2×100mm 4Pcs
BM-6T	220~240	1.8	1100×680×275	1/2×100mm 6Pcs
BM-8T	220~240	1.8	1450×680×275	1/2×100mm 8Pcs
BM-4TA	220~240	1.5	750×600×275	1/2×100mm 2Pcs
BM-1	220~240	1.2	340×590×260	1/1×150mm
BM-1V	220~240	1.2	340×590×260	1/1×150mm

FOOD WARMER CART

食物保温餐车

采用热风循环加热保温
温度可调节,65~82℃
数显内胆温度

Hot air circulation heating and warming
The temperature can be adjusted 65 to 82℃
LCD temperature indication



食物保温餐车

FOOD WARMER CART



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)	内腔 Chamber (mm)	备注 Note
EWC-5	220~240	1.3	730×940×1350	540×660×940	5层，层高 160mm，可放 10 个 1/1 份数盘 5-Shelf, Shelf distance 160mm, Capacity up to 10×GN1/1
EWC-11	220~240	2.7	730×940×1765	540×660×1380	11层，层高 115mm，可放 22 个 1/1 份数盘 11-Shelf, Shelf distance 115mm, Capacity up to 22×GN1/1
EWC-22	220~240	5.4	1400×940×1765	540×660×1380	22层，层高 115mm，可放 44 个 1/1 份数盘 22-Shelf, Shelf distance 115mm, Capacity up to 44×GN1/1
EWC-16S	220~240	2.7	810×880×1760	530×660×1310	16层，层高 75mm，可放 32 个 1/1 份数盘 16-Shelf, Shelf distance 75mm, Capacity up to 32×GN1/1
EWC-16SS	220~240	2	760×880×1760	540×700×1335	16层，层高 86mm，可放 32 个 1/1 份数盘 16-Shelf, Shelf distance 86mm, Capacity up to 32×GN1/1
EWC-8S-1K	220~240	1.3	995×730×1050	540×620×820	8层，层高 80mm，可放 8 个层板或 16 个 1/1 份数盘 8-Shelf, Shelf distance 80mm, Capacity up to 8 plates or 16×GN 1/1



食物保温餐车

FOOD WARMER CART

RoHS

CE

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)	内腔 Chamber (mm)	备注 Note
EWC-15A-2K	220~240	1.8	630×800×1840	430×630×1410	15 层, 层高 75mm, 可放 15 个 1/1 份数盘或烤盘 15-Shelf, Shelf distance 75mm, Capacity up to 15×GN1/1 or baking pan
EWC-15B-2K	220~240	1.8	760×800×1840	540×660×1410	15 层, 层高 75mm, 可放 30 个 1/1 份数盘 15-Shelf, Shelf distance 75mm, Capacity up to 30×GN1/1
EWC-15A-4K	220~240	1.8	630×800×1840	430×630×1410	15 层, 层高 75mm, 可放 15 个 1/1 份数盘或烤盘 15-Shelf, Shelf distance 75mm, Capacity up to 15×GN1/1 or baking pan
EWC-15B-4K	220~240	1.8	760×800×1840	540×660×1410	15 层, 层高 75mm, 可放 30 个 1/1 份数盘 15-Shelf, Shelf distance 75mm, Capacity up to 30×GN1/1
EWC-15A-4XK	220~240	1.8	570×830×1845	430×630×1410	15 层, 层高 75mm, 可放 15 个 1/1 份数盘或烤盘 15-Shelf, Shelf distance 75mm, Capacity up to 15×GN1/1 or baking pan
EWC-5A-1D	220~240	1.8	630×800×950	430×630×530	5 层, 层高 80mm, 可放 5 个 1/1 份数盘或烤盘 5-Shelf, Shelf distance 80mm, Capacity up to 5×GN1/1 or baking pan
EWC-5B-1D	220~240	1.8	760×800×950	540×660×530	5 层, 层高 80mm, 可放 10 个 1/1 份数盘 5-Shelf, Shelf distance 80mm, Capacity up to 10×GN1/1
EWC-4S	220~240	1.3	1020×660×880	720×420×570	4 层, 层高 130mm 4-Shelf, Shelf distance 130mm
EWC-4S-B	220~240	1.3	1020×660×1150	720×420×840	4 层, 层高 200mm, 标配 4 个层网, 或选配 8 层 4-Shelf, Shelf distance 200mm, Capacity up to 4×baking net, or change to 8 layers
EWC-8SS	220~240	2	860×832×1235	540×700×810	8 层, 层高 86mm, 可放 16 个 1/1 份数盘 8-Shelf, Shelf distance 86m, Capacity up to 16×GN1/1
EWC-8SS-2A	220~240	4	980×709×1235	单个内腔尺寸: 336×576×810	8 层, 层高 86mm, 可放 16 个 1/1 份数盘 8-Shelf, Shelf distance 86m, Capacity up to 16×GN1/1

FOOD STEAMER

SHOWCASER

蒸包柜



四面中空玻璃, 自动温控及缺水保护, 90 秒产生蒸汽, 5 层
不锈钢网
网高度可调, 可加工直径 7CM 的包子 80 个

Four side hollow glass, automatic temperature control
and water protection 90 Seconds to produce steam, 5
layers of stainless steel net
Net height adjustable, can process the diameter 7 CM of
the steamed stuffed bun 80 pcs

电热蒸包柜

ELECTRIC FOOD STEAMER SHOWCASER

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EZ-5	220~240	1.1	380×400×750
EZ-6	220~240	1.5	460×520×830

四面中空玻璃, 燃气加热, 60 秒产生蒸汽, 5 层不锈钢网
网高度可调, 可加工直径 7CM 的包子 80 个

Four side hollow glass, gas heating 60 Seconds to produce steam,
5 layers of stainless steel net
Net height adjustable, can process the diameter 7 CM of the
steamed stuffed bun 80 pcs

燃气蒸包柜

GAS FOOD STEAMER SHOWCASER

型号 Model	燃气种类 GAS (Pa)	外形尺寸 Dimension (mm)
GZ-5	LPG 2800	420×400×780



GZ-5

FOOD WARMING
SHOWCASE

陈列电热保温柜



钢化玻璃，恒温控制

Even temperatire and humidity,
fullvisual glass, good-looking



ELW-2P



ELW-3P

保温展示柜

WARMING SHOWCASE



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
ELW-2P	220~240	0.85	350×390×520
ELW-3P	220~240	1	710×390×520

红外线加热，持久恒温

All stainless steel construction
High-efficient, energy-saving & useful



EHS-660



EHS-330



EHS-1

保温站

SIMPLE FOOD WARMER



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EHS-330	220~240	0.6	565×340×420
EHS-660	220~240	1	860×370×420
EHS-1	220~240	340	340×565×420
EHS-2	220~240	1.1	720×530×590
EHS-3	220~240	1.55	1020×530×590
EHS-4	220~240	2.05	1220×5300×590

FOOD STEAMER

SHOWCASER

弧形电热保温柜

钢化玻璃，恒温控制

Even temperatire and humidity,
fullvisual glass, good-looking



ELW-1P



ELW-660R
ELW-990R



ELW-1200B



ELW-900B



ELW-660B

弧形电热保温柜

CURVED GLASS WARMING SHOWCASE



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
ELW-660R	220~240	0.8	660×500×620
ELW-990R	220~240	1.2	960×500×620
ELW-660B	220~240	1.85	660×440×625
ELW-900B	220~240	1.85	900×480×625
ELW-1200B	220~240	2.2	1200×480×625
ELW-1P	220~240	0.85	350×425×520

TELESCOPIC FOOD
WARMING LAMP

伸缩保温吊灯



可伸缩高度, 调节范围 :600-1500mm, 配送 250W 硬质防爆加热灯泡 1 个

Telescopic design, can adjust :600-1500mm, with 1pcs 250W anti-explosion bulb



伸缩保温吊灯

TELESCOPIC FOOD WARMING LAMP



喷漆 Plating				电镀 Electroplate			
型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	直径 Lamp dia (mm)	型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	直径 Lamp dia (mm)
HL-A	220~240	0.25	175	HLE-A	220~240	0.25	175
HL-B	220~240	0.25	175	HLE-B	220~240	0.25	175
HL-C	220~240	0.25	270	HLE-C	220~240	0.25	270
HL-D	220~240	0.25	290	HLE-D	220~240	0.25	290
HL-E	220~240	0.25	290	HLE-E	220~240	0.25	290



保温灯

FOOD WARMING LAMP



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)	型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
DW-1	220~240	0.25	φ 270×700	DW-2	220~240	0.5	φ 270×700
DZ-1	220~240	0.25	φ 270×700	DZ-2	220~240	0.5	φ 270×700
DZ-1S	220~240	0.25	φ 270×700	DZ-2S	220~240	0.5	φ 270×700



保温灯

FOOD WARMING LAMP



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension
HLC-A	220~240	0.25	Caliber 15CM
HLC-B	220~240	0.25	Caliber 19CM
HLC-C	220~240	0.25	Caliber 19.5CM
DZ-1F	220~240	0.25	φ 280×900mm

LAMP FOOD
WARMING STATION
保温台



保温台

FOOD WARMING LAMP STATION

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
PD-1	220~240	0.25	550×550×700
PD-2	220~240	0.5	550×550×700
PSD-2	220~240	0.5	550×550×700
HD-2	220~240	0.5	900×500×750
HD-4	220~240	1	900×550×750



保温座

FOOD WARMING LAMP STATION

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
DR-2	220~240	1	780×530×700
DR-2T	220~240	1	780×530×700
DR-3	220~240	1.4	1070×530×700
DR-3T	220~240	1.4	1070×530×700
DR-4	220~240	1.8	1360×530×700
DR-4T	220~240	1.8	1360×530×700

ROUND-TUBE DINING CART

圆管餐车

装拆式设计，方便运输；每层餐车盘底部贴有防震胶，减低噪音

Stainless Steel Body, Luxury Appearance
International Stylish and Fashion Design
Lockable Castors, Safety and Practical
Disassembly Structure, Transit Facility



圆管餐车

ROUND-TUBE DINING CART

型号 Model		外形尺寸 Dimension (mm)
二层 Two tier	小号 RPC-S2	760×380×760
	中号 RPC-M2	810×460×850
	大号 RPC-L2	860×540×940
三层 Three tier	小号 RPC-S3	760×380×760
	中号 RPC-M3	810×460×850
	大号 RPC-L3	860×540×940
四层 Four tier	大号 RPC-L4	860×540×1250
五层 Five tier	大号 RPC-L5	860×540×1540

装拆式设计，方便运输

Stainless Steel Body, Luxury Appearance
International Stylish and Fashion Design
Lockable Castors, Safety and Practical
Disassembly Structure, Transit Facility



方管餐车

SQUARE- TUBE DINING CART

型号 Model		外形尺寸 Dimension (mm)
二层 Two tier	小号 RPD-S2	750×400×840
	中号 RPD-M2	850×450×900
	大号 RPD-L2	950×500×950
三层 Three tier	小号 RPD-S3	750×400×840
	中号 RPD-M3	850×450×900
	大号 RPD-L3	950×500×950

SQUARE-TUBE
HOTEL SERVICING CART
方管洒水车



产品特点：装拆式设计，方便运输；每层餐车盘底部贴有防震胶，减低噪音，脚轮配置防撞胶

Stainless Steel Body, Luxury Appearance
International Stylish and Fashion Design
Lockable Castors, Safety and Practical
Disassembly Structure, Transit Facility



BTD-L2

方管洒水车 SQUARE-TUBE HOTEL SERVICING CART

	型号 Model	外形尺寸 Dimension (mm)
	小号 BTD-S2	750×400×840
二层 Two tier	中号 BTD-M2	850×450×900
	大号 BTD-L2	950×500×950



DBD-L2

方管收碗车 SQUARE-TUBE DISHWARE COLLECTING CART

	型号 Model	外形尺寸 Dimension (mm)
	小号 DBD-S2	750×400×840
二层 Two tier	中号 DBD-M2	850×450×900
	大号 DBD-L2	950×500×950

流线型设计、美观大方，可拆装式设计，运输方便

Stainless Steel Body, Luxury Appearance
International Stylish and Fashion Design
Lockable Castors, Safety and Practical
Disassembly Structure, Transit Facility

五盘收集车 CUTLERY TROLLEY

	型号 Model	外形尺寸 Dimension (mm)
二层 Two tier		470×840×950



RTC-5

TRAY TROLLEY
面包架



TR-L20-68



TR-M18A



TR-L20

层数可订造；层片有“M”形或“L”形可选配；拆装式设计，运输方便

Stainless Steel Body, Luxury Appearance
International Stylish and Fashion Design
Lockable Castors, Safety and Practical
Disassembly Structure, Transit Facility
Different Model for the 1/1 GN Pan and 600*400mm Baker Tray

面包架 TRAY TROLLEY

型号 Model	外形尺寸 Dimension (mm)
TR-L15	655×520×1700
TR-M15A	585×445×1730
TR-L20	655×520×1700
TR-M20A	585×455×1730
TR-L40	655×950×1700
TR-L18	655×520×1700
TR-M18A	585×455×1730
TR-M6AT2/1	595×665×1150
TR-L20-68	660×810×1700



TR-M6AT2/1


WALL
SHELF

不锈钢挂墙层架

不锈钢挂墙层架

WALL SHELF

产品名称 Name	外形尺寸 Dimension (mm)
挂墙层板 Wall shelf	600×300×40
	800×300×40
	1000×300×40
	1200×300×40
	1400×300×40
	1600×300×40
	1800×300×40
	2000×300×40
挂墙架调节条 Wall strip	2200×300×40
	360×60×2
	700×60×2
	1000×60×2



• 不锈钢盘 / 铝盘
Stainless steel/Aluminium



• 发蓝盘
Blue Iron



• 高装洗白铝饼盘
Aluminium high whiter cake pan



• 矮装洗白铝饼盘
Aluminium low whiter cake pan

法国款面包盘

FRANCE BAKER PAN


产品名称 Name	型号 Model	外形尺寸 Dimension (mm)	厚度 Thickness (mm)
不锈钢烤盘 Stainless steel baker pan	FKP-46S	600×400	1
全铝烤盘 Aluminium baker pan	FKP-46A	600×400	1.5
蓝铁烤盘 Blue iron baker pan	FKP-46B	600×400	1

产品名称 Name	型号 Model	外形尺寸 Dimension (mm)	厚度 Thickness (mm)
矮装铝饼盘 aluminium low cake pan	GKP-46L	612×413×30	0.8
矮装洗白铝饼盘 aluminium low whiter cake pan	GKP-46LW	612×413×30	0.8
高装铝饼盘 Aluminium high cake pan	GKP-46H	612×413×53	0.8
高装洗白铝饼盘 aluminium high whiter cake pan	GKP-46HW	612×413×53	0.8

产品名称 Name	型号 Model	外形尺寸 Dimension (mm)	槽数 Baguette (pcs)
法式波浪烤盘 France baguette baker pan	FBKP-46	400×600×42	5
	FBKP-48	400×800×42	5
	FBKP-68	600×800×42	8

BAKER GRILL

不锈钢面包烤网



不锈钢面包烤网

S/S BAKER GRILL

型号 Model	线径 Dia. (mm)	尺寸 Dimension (mm)
GR-1/1	Φ5、Φ2	325×530
GR-46	Φ5、Φ2	400×600
GR-68	Φ6、Φ3	600×800

FRYING BASKET

不锈钢炸篮

最新款设计；双排线框架结构，不易变形；
压花网，不刮手

All Stainless steel, strong and durable

炸篮

FRYING BASKET

型号 Model	外形尺寸 Dimension (mm)
FB-6	130×220×100
FB-8	130×220×140
FB-10	200×220×100
FB-13	210×220×120
FB-17	230×250×120
FB-18	230×270×130
FB-48	165×350×155

